

	Hits	Search Text	DBs
1	6	((("5553389") or ("5388057") or ("4977524") or ("4811250") or ("4381548") or ("4774361"))).PN.	USPAT
2	1	("0566239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	1	("0769675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	0	("5-126559").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	1	("0566239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	1	("0769675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	15	4811250.URPN.	USPAT
8	37	4381548.URPN.	USPAT
9	33	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))) and (702/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	0	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))) and (automobile near5 frame near5 alignment).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	0	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))) and ((car or automobile) near5 (undercarriage or frame) near5 (alignment)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	0	702/\$.ccls. and ((car or automobile) near5 (undercarriage or frame) near5 (alignment)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	0	702/\$.ccls. and ((car or automobile) and (undercarriage or frame) and (alignment)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	1	702/\$.ccls. and ((car or automobile) and (undercarriage or frame) and (measure or alignment)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	180	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and (tape near2 measure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	16201	(measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM-TDB	2004/03/09 15:03
2	L2	1327	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and ((Orthogonal or perpendicular) with (measure or measured or measuring))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM-TDB	2004/03/09 15:04
3	L3	210	((measure or measured or measuring) WITH (frame or undercarriage or body) with (distance or length)) and (tape near2 measure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM-TDB	2004/03/09 15:04
4	L4	14	3 and @pd>=20030723	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM-TDB	2004/03/09 15:06